1

Storage optimization in wards and technical platforms

- Robustness: excellent resistance, one-piece structure made of steel
- 100 % hygiene: designed with a minimum of retention zones, and resistant to disinfecting products of hospital environment
- Modular: wide range of drawers and accessories
- Light and easy to handle
- Ergonomic: designed for medical staff comfort
- Customizable: ward name identification on request









- Single-column structure
- 2 heights*: 60 cm or 80 cm
- Roller shutter door or without door
- Code lock or badge lock, or without lock







^{*} For precise height of working surface, see technical data


Standard configurations - PREMIUM

Remember to add the color reference of the structure.

Premium mobile structure

600 x 400 mobile structure H. 80 equipped with:

- 1 drawer 600 x 400 H. 235 mm
- 2 drawers 600 x 400 H. 155 mm
- 1 drawer 600 x 400 H. 75 mm





Standard configurations - BASIC

Remember to add the color reference of the structure.

Mobile structures height 60 cm

Reference	Description
8YCAM164H60	NEOP "Basic" mobile structure 1 col. 600x400 H60 without roller shutter door

Mobile structures height 80 cm

Reference	Description	
8YCAM164H80	NEOP "Basic" mobile structure 1 col. 600x400 H80 without roller shutter door	
8YCAM164H80FRC	NEOP "Basic" mobile structure 1 col. 600x400 H80 with roller shutter door + code lock	



Custom configurations

STEP 10 - Box structure

Choice of box structure according to height

	Mobile box height 60 cm*	Mobile box height 80 cm*
Without extension/ Standard inside panels 40 mm level	8Y164H60P4.CM	8Y164H80P4.CM

This reference includes:

- Structure
- Wheels
- Inside panels

STEP 2 - Structure customization

Selection of elements 1 to 4


		Mobile box height 60 cm*	Mobile box height 80 cm*
1	Compact laminate upper shelf	8Y001_6400CP1	8Y001_6400CP1
2	Roller shutter door	8Y002_6006F3	8Y002_6008F3

The mobile box can be ordered without closure.

BE CAREFUL! In this case, you have to add end stop ref. 8Y014.

3	Code lock	8Y003CODE3	8Y003CODE3
	Badge lock	8Y003BADGE3	8Y003BADGE3

The mobile box can be ordered without lock.



^{*} For precise height of working surface, see technical data



Compact laminate upper shelf



Roller shutter closure





Badge lock



Apple green

Sky blue

Accessories and internal fittings

Extension shelf, standard rail, arm for laptop, waste bin, drawer... Please refer to product data sheets.









4

Overall dimensions of the trolley

H 80 : 805 mm
H 60 : 645 mm

L. 738 mm

D. 562 mm

Worktop height

H 80 : 805 mm H 60 : 645 mm

Materials

Structure	Complete welded one-piece structure, electro-galvanized steel, EPOXY anti-corrosion treated	
Work surface	Compact laminate 10 mm thickness	
Slides	ABS (Acrylonitrile Butadiene Styrene)	
Closing system	Roller shutter door: PP (Polypropylene), 2 mm thickness	
Wheels	Double non marking rubber wheels - Polyamide cover (PA)	
Bumpers	4 non marking round stop blocks made of EVA (Ethylene Vinyl Acetate)	
Strip of colour	70 micron calendered PVC vinyl film, with acrylic adhesive	

L. 738 mm

Additional information

Wheels	65 mm diameter - 2 breaking wheels + 2 swivelling wheels		
Empty weight	H 60: 25 kg H 80: 27 kg		
Capacity	H 60 (40 mm level): - 11 levels for mobile structure with roller shutter door - 12 levels for mobile structure without roller shutter door	H 80 (40 mm level): - 15 levels for mobile structure with roller shutter door - 16 levels for mobile structure without roller shutter door	
Locking system	Code lock (with spare key) / Badge lock		

Packaging

Packing	Individually on pallet strapped and film-wrapped, or on wheels, with proper protection	Dimensions L X D x H	H 60: 80 x 120 x 100 cm H 80: 80 x 120 x 100 cm
Gross weight (trolley + packaging)	Н 60: 37 kg Н 80: 39 Kg	Volume	1,15 m³



