

# Internal pharmacy equipment range

## Optistock® mobile and fixed shelving system

The OptiStock® range has been designed for back-up storage of sterile or non-sterile materials, which are either packed or unpacked.

This range is used in all wards (including internal pharmacies), but particularly for CSSD and operating theatre due to its unique features concerning hygiene.

It enables the ideal configuration to suit the management methods currently applied in healthcare establishments, such as allocation or KanBan.



Hygienic



Ergonomic

### Strong points

- ▶ Removable and reversible guides
- ▶ Products are available on both sides
- ▶ Many available models: 400, 600 and 1200 faces
- ▶ Resistance: 200 kg / frame

## Internal pharmacy equipment range

# Optistock® mobile and fixed shelving system


### Optistock® structures

- ▶ Epoxy welded steel structure with fixing parts and posts
- ▶ Ø 100 mm wheels, 2 with brake (for mobile model)
- ▶ Load resistance: 200 kg / frame (resistance can be different according to the equipment in the structure)
- ▶ U-shaped posts with rounded grooves
- ▶ 1 available colour: grey

### Fixed structures

Description	Main structure	Additional structure
<b>600 x 400</b>	8A700	8A705
<b>400 x 600</b>	8A710	8A715
<b>1200 x 400</b>	8A740	8A745
<b>1200 x 600</b>	8A750	8A755

The fixed Optistock® structures which are more than, 1200 mm long are delivered dismantled.



### Mobile structures

Description	Main structure	Additional structure
<b>Simple 600 x 400</b>	8A701	–
<b>Simple 400 x 600</b>	8A711	–
<b>Triple 600 x 400</b>	8A703	–
<b>Triple 400 x 600</b>	8A713	–
<b>Double 400 x 600</b>	8A702	–
<b>Double 600 x 400</b>	8A741	–
<b>Simple 1200 x 400</b>	8A741	8A742
<b>Simple 1200 x 600</b>	8A751	8A752

Don't join more than 3 mobile structures.  
For more, better use the fixed models.



## Internal pharmacy equipment range

# Optistock® mobile and fixed shelving system

### Optistock® trolleys

#### Structure

- ▶ Epoxy welded steel structure with fixing parts and posts
- ▶ Ø 125 mm wheels
- ▶ Capacity: 20 levels
- ▶ 2 handles
- ▶ Load resistance: 200 kg / frame  
(resistance can be different according to the equipment in the structure)
- ▶ 1 available colour: grey



Description	Dimensions (in mm)	Reference
<b>Trolley, single F600 - D400 with top cover 1F600</b>	L. 730 x D. 490 x H. 1630	8A761
<b>Trolley, double F600 - D400 with top cover 2F600</b>	L. 1372 x D. 490 x H. 1630	8A762
<b>Trolley, single F400 - D600 with top cover 1F400</b>	L. 531 x D. 690 x H. 1630	8A771
<b>Trolley, double F400 - D600 with top cover 2F400</b>	L. 976 x D. 690 x H. 1630	8A772

#### Equipments

Description	Reference
<b>Vertical handle, 260 mm between axles</b>	8A709
<b>Single cladding throughout F600 F600 - D400 - pop blue</b>	8A727
<b>Double cladding throughout F600 F600 - D400 - pop blue</b>	8A728
<b>Single cladding throughout F400 F400 - D600 - pop blue</b>	8A737
<b>Double cladding throughout F400 F400 - D600 - pop blue</b>	8A738

### Arrangement of structures

#### 1 Fixed shelves

Description	Dimensions (in mm)	Reference
<b>Fixed shelf F600 - D600 - grey epoxy coating</b>	L. 400 x D. 600	8A666
<b>Fixed shelf F600 - D400 - grey epoxy coating</b>	L. 600 x D. 400	8A660
<b>Fixed shelf F1200 - D400 - grey epoxy coating</b>	L. 1200 x D. 400	8A662
<b>Fixed shelf F1200 - D600 - grey epoxy coating</b>	L. 1200 x D. 600	8A668
<b>Compact shelf for frontage 600 or 400</b>		8A600
<b>Separator for shelves D400</b>	D. 400	8A658
<b>Separator for shelves D600</b>	D. 600	8A659

#### 2 Tilted recessed shelves

Description	Dimensions (in mm)	Reference
<b>Tilted recessed shelf F400 - D600 - H. 60 - grey epoxy coating</b>	L. 400 x D. 600 x H. 60	8A669
<b>Tilted recessed shelf F600 - D400 - H. 60 - grey epoxy coating</b>	L. 600 x D. 400 x H. 60	8A663
<b>Tilted recessed shelf F1200 - D400 - H. 60 - grey epoxy coating</b>	L. 1200 x D. 400 x H. 60	8A665
<b>Tilted recessed shelf F1200 - D600 - H. 60 - grey epoxy coating</b>	L. 1200 x D. 600 x H. 60	8A671
<b>Separator D. 400 for tilted shelves</b>	D. 400	8A684
<b>Separator D. 600 for tilted shelves</b>	D. 600	8A687

## Internal pharmacy equipment range

# Optistock® mobile and fixed shelving system

### 3 Telescopic shelves

Description	Dimensions (in mm)	Reference
Telescopic shelf - grey epoxy coating	L. 400 x P. 600	8A672
Telescopic shelf - grey epoxy coating	L. 600 x P. 400	8A675
Telescopic shelf - grey epoxy coating	L. 1200 x P. 600	8A674
Telescopic shelf - grey epoxy coating	L. 1200 x P. 400	8A677

### 4 Drawers and divider kits


Description	Dimensions (in mm)	Reference
Telescopic drawer - grey epoxy coating	L. 1200 x D. 400 x H. 60	8A680
Divider kit - 3 x 4		8A680_3X4
Divider kit - 9 x 1		8A680_9X1
Telescopic drawer - grey epoxy coating	L. 1200 x D. 600 x H. 60	8A683
Divider kit - 6 x 4		8A683_6X4
Divider kit - 9 x 1		8A683_9X1

### Slide rails

Description	Dimensions (in mm)	Reference
Pair of universal horizontal slide rails	D. 400	8A651
Pair of universal horizontal slide rails	D. 600	8A652
Pair of tilted slide rails for 600 mm wide front	D. 400	77014
Pair of tilted slide rails for 400 mm wide front	D. 600	77016

### Telescopic frames

Description	Dimensions (in mm)	Reference
Telescopic frame	L. 600 x P. 400	8A699
Telescopic frame	L. 600 x P. 400	8A649



The fixed horizontal shelves which are located in the upper and lower parts are used as ceiling and ground.

